

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/068,119	02/06/2002	Feniosky Pena-Mora	MIT-086AUS	5759
22494	7590 03/24/2006		EXAM	INER
DALY, CRO	OWLEY, MOFFORD &	STEVENS, THOMAS H		
SUITE 301A 354A TURNPIKE STREET CANTON, MA 02021-2714			ART UNIT	PAPER NUMBER
			2123	

DATE MAILED: 03/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
· .	10/068,119	PENA-MORA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Thomas H. Stevens	2123				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet v	vith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period v Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUN 36(a). In no event, however, may a will apply and will expire SIX (6) MC , cause the application to become A	ICATION, reply be timely filed NTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 12 A	pril 2002.					
2a) ☐ This action is FINAL . 2b) ☑ This						
3) Since this application is in condition for allowa	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) ☐ Claim(s) 1-22 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) 17-22 is/are allowed. 6) ☐ Claim(s) 1-15 is/are rejected. 7) ☐ Claim(s) 16 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or 	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 11.	epted or b) objected to drawing(s) be held in abeyation is required if the drawin	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 03/05/2002	Paper No	Summary (PTO-413) o(s)/Mail Date Informal Patent Application (PTO-152)				

DETAILED ACTION

1. Claims 1-22 were examined.

Specification

- 2. The specification is objected to by which the following element number appear to be missing:
 - Figure 1: elements 14, 18, 20, 22, 26,28, 30, 34,38,60
 - Figure 3: elements 86,88,90,92 42
 - Figure 7: element 330
- 3. The application number on pages 11 and 25, lines 3 and 20, respectively, should be filled in.
- 4. Page 12, line 11, after the work "value", there's a large space with two periods within the sentence.

Claim Interpretation

5. Office personnel are to give claims their "broadest reasonable interpretation" in light of the supporting disclosure. *In re Morris,* 127 F.3d 1048, 1054-55, 44 USPQ2d 1023, 1027-28 (Fed. Cir. 1997). Limitations appearing in the specification but not recited in the claim are not read into the claim. *In re Prater,* 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-551(CCPA 1969). See *also *In re Zletz,* 893 F.2d 319, 321-22, 13 USPQ2d 1320, 1322(Fed. Cir. 1989) ("During patent examination the pending claims must be interpreted as broadly as their terms reasonably allow") The reason is simply that during patent prosecution when claims can be amended, ties should be recognized, scope and breadth of language explored, and clarification imposed An

Art Unit: 2123

essential purpose of patent examination is to fashion claims that are precise, clear, correct, and unambiguous. Only in this way can uncertainties of claim scope be removed, as much as possible, during the administrative process. The Office equates a list and a plan since a plan encompasses a list.

Claim Objection

6. Claim 16 is objected to since the limitation lacks patentable weight.

Claim Rejections - 35 USC § 103

- 7. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. Claims 1-5,8-10, 13,14 are rejected under 35 U.S.C. 103(a) as obvious by Allweyer et al., "Model-Based Re-Engineering in the European Construction Industry"

Art Unit: 2123

(1996) (hereafter Allweyer) in view of Mora et al., "Dynamic Planning and Control Methodology for Design/Build Fast-Track Construction Projects" (Jan/Feb 2001) (hereafter Mora). Allweyer and Mora are analogous art because they both teach construction modeling.

Therefore, it would have been obvious to one having ordinary skill in the art at/he time the invention was made to utilize pre-structured model of Allweyer in the dynamic planning methodology of Mora because Allweyer teaches an efficient way to reduce the risks of BPR projects and to increase the quality of the results (Allweyer: pg.5, "Reference Models" section, 2nd paragraph) and for the faster development of new process structures, and software-specific models for matching them against the new process model, and selecting and customizing a software system that will support new processes (Allweyer: pg. 7, lines 5-7).

Claim 1. A dynamic planning (Mora: abstract) method comprising: generating a project list (Mora: claim interpretation and abstract: line 6) with a plurality of activities; selecting two or more activities from a plurality of activities within a project plan (Mora: abstract, line 6); generating a time precedence relationship between the selected activities structuring the one or more activities (Mora: pg. 2, "System Dynamic Modeling" section, lines 5-9) with an activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model; structuring the time precedence relationships with an activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model associating an activity characteristics value (Mora: pg. 2, "System Dynamic Modeling" section, lines 5-9) with the activity pre-

Art Unit: 2123

structured (Allweyer: pg.6, 2nd paragraph) process model; associating an activity relationship value with the activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model to provide a dynamic planning (Mora: abstract) method (DPM) project planning (Mora: abstract, line 6) model; and dynamically adjusting the DPM project planning (Mora: abstract, line 6) model to provide a DPM project plan (Mora: abstract, line 6).

Claim 2. The method of claim 1, wherein associating an activity characteristics value with the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model comprises: providing a user-defined activity reliability (Mora: pg. 12, right column, 5th paragraph) value for each of the one or more activities; and associating the activity reliability value (Mora: pg. 12, right column, 5th paragraph) with the activity relationship pre- structured model.

Claim 3. The method of claim 1, wherein associating an activity characteristics value with the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model comprises: providing a user a user-defined production type value (Mora: pg. 2, "Methodology" section, last sentence of 1st paragraph--2nd paragraph, lines 1-5)) for each of the one or more activities; associating the production type (Mora: pg. 2, "System Dynamic Modeling", pgs. 6-10) value with the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model.

Claim 4. The method of claim 1, wherein associating an activity relationship value with the activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model

Art Unit: 2123

comprises: providing a user-defined time precedence relationship between the one or more activities (Mora: pg. 8, Sensitivity Curves figure 14 examples of perceived and real progress); associating the time precedence relationship with the activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model.

Claim 5. The method of claim 1, wherein associating an activity relationship value with the activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model comprises: providing a user-defined sensitivity value (Mora: pg. 3, left column, 2nd paragraph; and pg.2, "System Dynamics Modeling" line 5) for the time precedence relationship; associating the sensitivity value (Mora: pg. 3, left column, 2nd paragraph; and pg.2, "System Dynamics Modeling" line 5) with the activity relationship prestructured (Allweyer: pg.6, 2nd paragraph) model.

Claim 8. The method of claim 1, wherein dynamically adjusting the DPM project planning (Mora: abstract, line 6) model to provide a DPM project plan (Mora: abstract, line 6) comprises: automatically generating one or more reliability buffers (Mora: pg.3, left column, 1st paragraph, 2nd line with pg.7 left column, lines 1-3) in association with respective ones of the one or more activities to, wherein each reliability buffer has a duration value (Mora: abstract: lines 9-10), an upstream time precedence relationship between the reliability buffer and an upstream activity, and a downstream time precedence relationship between the reliability buffer (Mora: pg.3, left column, 1st paragraph, 2nd line with pg.7 left column, lines 1-3) a downstream activity (sections discusses the upstream/downstream with buffer relationship: Mora: pg. 8, left column

Art Unit: 2123

2nd and 3rd paragraphs to right column, lines 1-2), to provide the DPM project plan (Mora: abstract, line 6).

Claim 9. The method of claim 8, wherein the downstream time precedence relationship is finish to start with no lag or lead ("lag becomes the buffer", pg.8, right column, 2nd paragraph, lines 19-22).

Claim 10. The method of claim 8, wherein the automatically generating one or more reliability buffers comprises: associating the activity characteristics value, the activity relationship value, the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model, and the activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model.

Claim 13. The method of claim 12, wherein dynamically updating the DPM project planning (Mora: abstract, line 6) model to provide an updated DPM project plan (Mora: abstract, line 6) comprises: automatically generating one or more updated reliability buffers in association with respective ones of the one or more updated activities, wherein each updated reliability buffer (Mora: pg.3, left column, 1st paragraph, 2nd line with pg.7 left column, lines 1-3) has an updated duration value, (Mora: abstract: lines 9-10) an updated time precedence relationship between the updated reliability buffer and an upstream activity, and an updated time precedence relationship between the updated reliability buffer (Mora: pg.3, left column, 1st paragraph, 2nd line with pg.7 left

Art Unit: 2123

column, lines 1-3) and an upstream activity, to provide the updated DPM project plan (Mora: abstract, line 6).

Claim 14. The method of claim 13, wherein automatically generating one or more updated reliability buffers comprises: associated the updated activity characteristics value (Mora: pg.2, right column, "Methodology", 2nd paragraph, lines 4-5), the updated activity relationship value, the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model, and the activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model.

10. Claims 6, 7 and 11, 12, 15 are rejected under 35 U.S.C. 103(a) as obvious by Allweyer "Model-Based Re-Engineering in the European Construction Industry" (1996) in view Mehta et al. (US Patent 6,931,365) (hereafter Mehta) and in further of Mora "Dynamic planning Control Methodology for Design/Build Fast-Track Construction Projects" (Jan/Feb 2001). Allweyer, Mora and Mehta are analogous art because they all teach industrial modeling.

Therefore, it would have been obvious to one having ordinary skill in the art at he time the invention was made to utilize pre-structured model of Allweyer in the management decision making policies under pre-specified scenarios of Mehta and the dynamic planning methodology of Mora because Allweyer teaches an efficient way to reduce the risks of BPR projects and to increase the quality of the results (Allweyer: pg.5, "Reference Models" section, 2nd paragraph) and for the faster development of new

Art Unit: 2123

process structures, and software-specific models for matching them against the new process model, and selecting and customizing a software system that will support new processes (Allweyer: pg. 7, lines 5-7); and Mehta teaches "what if" scenarios impacted simultaneously by technological innovations, political and regulatory changes, business and economic decisions, and the evolution of consumer preferences due to social and competitive forces. By playing through those possible alternative scenarios, participants "experience the future" of both—the strategies as well as the results. By interacting amongst themselves in these different scenarios, the participants are able to construct accurate and robust strategies (Mehta: column 2, lines 19-23).

Claim 6. The method of claim 1, further comprising: associating a policy value (Mehta: column 2, lines 3-4) with the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model.

Claim 7. The method of claim 6, wherein associating the first policy value (Mehta: column 2, lines 3-4) with the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model comprises: providing the first policy value as a user-defined first policy value; associating the first policy (Mehta: column 2, lines 3-4) value with the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model.

Claim 11. The method of claim 10, wherein the automatically generating one or more reliability buffers further comprises: associating the policy (Mehta: column 2, lines 3-4) value with the activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model, and the activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model.

Art Unit: 2123

Claim 12. The method of claim 8, further comprising: selecting one or more updated activities; providing at least one of updated activity characteristics data (Mora: pg.2, right column, "Methodology", 2nd paragraph, lines 4-5), updated activity relationship date and updated policy (Mehta: column 2, lines 3-4) data associated with the updated activities, to provide an updated DPM project planning (Mora: abstract, line 6) model; and dynamically updating the DPM project planning (Mora: abstract, line 6) model to provide an updated DPM project plan (Mora: abstract, line 6).

Claim 15. The method of claim 14, wherein automatically generating one or more updated reliability buffers comprises further comprises: identifying a similar activity corresponding to a respective one of the one or more updated activities, having similar activity characteristics values, (Mora: pg.2, right column, "Methodology", 2nd paragraph, lines 4-5) similar activity relationship values and similar policy (Mehta: column 2, lines 3-4) values, based upon a similarity criteria; associating the similar activity characteristics (Mora: pg.2, right column, "Methodology", 2nd paragraph, lines 4-5) values, the similar activity relationship values, the similar activity pre-structured (Allweyer: pg.6, 2nd paragraph) process model, and the similar activity relationship pre-structured (Allweyer: pg.6, 2nd paragraph) model; and adjusting the duration values, (Mora: abstract: lines 9-10) the upstream time precedence relationships and the upstream time precedence relationship of the updated reliability buffers (Mora: pg.7, left column, 2nd paragraph, lines 5-6; and pg. right column 2nd paragraph, lines 19-22).

Allowable Subject Matter

- 11. Claims 17-22 are allowed.
- 12. The following is an examiner's statement of reasons for allowance:

While Mora (claim 17) teaches a dynamic planning apparatus comprising: a dynamic planning method (DPM) provides activity data that is a combination of activity characteristics data, and activity relationship data; Mehta teaches policy data, none of these references, taken either alone or in combination, with the prior art of record disclose

(claim 17) "a DPM processor coupled to the DPM data processor to provide a DPM projected plan,"

in combination with the remaining elements and features of the claimed invention. It is for these reasons that the applicants' invention defines over the prior art of record.

Correspondence Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mr. Tom Stevens whose telephone number is 571-272-3715, Monday-Friday (8:00 am- 4:30 pm EST).

If attempts to reach the examiner by telephone are unsuccessful, please contact examiner's supervisor Mr. Paul Rodriguez 571-272-3753. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2123

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov.. Answers to questions regarding access to the Private PAIR system, contact the Electronic Business Center (EBC) (toll-free (866-217-9197)).

March 16, 2006

TS

Symuson Primary Examiner
Art Unit 2125-2123